








Special executions













SPECIAL FINISHES	Nickel plated	Lacquered, brass-plated visible parts	Polished visible parts	Polished chrome plated
	12	38	66	21
CYLINDERS:				
• Single rim cylinders - Cam locks and furniture cylinders	•	-	-	-
• Rim cylinder sets - Double cylinders (standard, with tumb turn shaft, with triangular knob)	•	-	•	-
• Single mortice cylinders (standard, with with tumb turn shaft)	•	-	•	-
• Double cylinders with round knob	•	-	•	-
• Double cylinders with round knob, Hotel Function	-	-	-	•
ROSES:				
• 06010 - 06011 - 06012 - 06018 - 06023 - 06027	•	-	•	-
• 06043 - 06081 - 06082 - 06083 - 06143	•	-	-	-
LOCKS (visible parts):				
• 12010 - 12011 - 12015 - 12016 - 52010 - 52020 - 52011 - 52021 - 52031 - 52110 - 52111 - 52120 - 52121 - 52131 - 52141 - 52195 - 52210 - 52310 - 52611 - 52621 - 52631 - 52641 - 52651 - 52671	•	-	-	-
• 44010 - 44011 - 71110 - 71210 - 72110	•	-	-	-
• 56250 - 56255 - 57010 - 57014 - 57015 - 57019 - 57024 - 57050 - 57055 - 57210 - 57211 - 57215 - 57217 - 57220 - 57225 - 57250 - 57251 - 57254 - 57255 - 57256 - 57259	-	•	-	-
• 57020 - 57060 - 57230	-	•	-	-
STRIKERS	•	-	-	-
ACCESSORIES :				
• Button art. 1.06110.00.0	•	-	-	-










MORTICE LOCKS series 5C100	
• Polished lacquered brass (Fin. 67)	•
• Polished chrome plated brass (Fin. 21)	•
• Satin nickel plated brass (Fin. 12)	-
• Stainless steel (Fin. 20)	•
MORTICE LOCKS series 5C600	
• Satin brass-plated steel (Fin. B3)	-
• Nickel plated (Fin. 12)	-
• Chrome plated steel (Fin. 18)	•
• Bronze plated steel (Fin. 47)	-
• Mat chrome plated steel (Fin. B1)	•
STRIKER FOR MORTICE LOCKS series 5C100	
• Satin nickel plated brass (Fin. 12)	•
• Polished chrome plated brass (Fin. 21)	•
• Stainless steel (Fin. 20)	•
• Polished lacquered brass (Fin. 67)	•
STRIKER FOR MORTICE LOCKS series 5C600	
• Satin brass-plated steel (Fin. B3)	•
• Nickel plated (Fin. 12)	•
• Chrome plated steel (Fin. 18)	•
• Bronze plated steel (Fin. 47)	-
• Mat chrome plated steel (Fin. B1)	•


SPECIAL FINISHES	PAINTED RAL COLORS	41	42	43	44	45	97
	red RAL 3000	yellow RAL 1004	green RAL 6001	black RAL 9005	white RAL 9010	grey RAL 9006	
<p>TOUCH-BAR SERIES</p> <ul style="list-style-type: none"> • Panic exit devices series 59710-00/10, 59810-00/10 <ul style="list-style-type: none"> - Red casing Black bar Fin. 41 - Yellow casing Black bar Fin. 42 - Green casing Black bar Fin. 43 - Black casing Black bar Fin. 44 - White casing Black bar Fin. 45 - Grey casing Black bar Fin. 97 • Additional locking points for TOUCH-BAR series panic exit devices • Set of latchbolts and deadbolt series 07063-50/60/65/70 • Kit of vertical rods art. 1.07081-15.0 • Plates art. 07076-60/61 • Set for top rod extension art. 1.07064-50.0 • Hold open devices art. 1.07065-50.0 • Bar color options for TOUCH-BAR series panic exit devices 59710-00/10, 59810-00/10 <ul style="list-style-type: none"> - Satin anodized aluminium Suffix. AL - Anodized bronze Suffix. BR - Polished brass Suffix. OT - Painted green Suffix. VE - Painted white Suffix. BI - Painted grey Suffix. GR 							
<p>NEW EUROPA, PUSH-PAD, AND CISA PRESTIGE SERIES PANIC EXIT DEVICES (Fin. 41-42-43-45-97)</p> <ul style="list-style-type: none"> • Panic exit devices series 59010, 59060, 59311 <p>ADDITIONAL LOCKING POINTS FOR NEW EUROPA SERIES PANIC EXIT DEVICES (fin. 41-42-43-45-97)</p> <ul style="list-style-type: none"> • Set of latchbolts and deadbolt series 07063-20/30/35/40/50/60/65/70 • Kit of vertical rods art. 1.07081.06/15.0 • Set for top rod extension art. 1.07064.50/60.0 • Hold open devices art. 1.07065.50/51.0 • Strikers series 07072 							
<p>HORIZONTAL BAR SERIES 07007-13/14/15 (FIN. 42-43-44-45-97)</p>							
<p>OUTSIDE OPERATION DEVICES SERIES 07077 (FIN. 41-42-43-45-97)</p>							
<p>ELECTRIC STRIKERS SERIES 07083-15-77 (FIN. 41-42-43-45-97)</p>							
<p>DOOR CLOSERS SERIES 604, 714, 715, 716, 720, 721 (Fin. 41-42-43-45) - (fin. 90 uncoated black)</p> <ul style="list-style-type: none"> • Door closer and arm • Arm bracket • Door closer bracket • Arm 							










SPECIAL KEYING ARRANGEMENTS	CISA Logo Line (padlocks)	CROSS KEY	STANDARD C2000
			
<p>KEYED ALIKE SYSTEMS</p> <p>A) KEY-CHANGES AT OUR CHOICE</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders - Rim locks with double cylinder, double cylinders, rim cylinder sets <p>KA</p> <p><i>WITH A DIFFERENT NUMBER OF KEYS THAN THE STANDARD (specify the total number of keys)</i></p> <ul style="list-style-type: none"> - Less than standard number - More than standard number <p>KB</p> <p>B) CODED</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob - Rim locks with double cylinder, double cylinders, rim cylinder sets. <p>KC</p> <p>C) AS PER SAMPLE</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders..... - Rim locks with double cylinder, double cylinders, rim cylinder sets. <p>KS</p> <p>(*) Cylinder supplied with one key.</p>	<p>•</p> <p>-</p> <p>-</p> <p>•</p> <p>-</p> <p>-</p> <p>•</p> <p>-</p> <p>-</p> <p>•</p> <p>-</p> <p>-</p>	<p>•</p> <p>-</p> <p>-</p> <p>• (*)</p> <p>-</p> <p>-</p> <p>•</p> <p>-</p> <p>-</p> <p>•</p> <p>-</p> <p>-</p>	<p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p>
<p>MASTER KEY SYSTEMS - Key code numbering, as standard.</p> <p>A) KEY-CHANGES AT OUR CHOICE</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders..... - Rim locks with double cylinder, double cylinders, rim cylinder sets. <p>MK</p> <p>B) CODED</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob - Rim locks with double cylinder, double cylinders, rim cylinder sets. <p>MC</p> <p>C) AS PER SAMPLE (C2000 available with 0.65 increment key only for master key systems)</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders - Rim locks with double cylinder, double cylinders, rim cylinder sets. <p>MS</p> <p>D) MASTER KEY.....</p>	<p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p>	<p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p>	<p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p>


SP		TSP		Asix	Astral -Astral S		AP3 S	RS3 S
 Short key	 Long key	 Short key	 Long key	 Short key	 Short key	 Long key	 ALI	
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
-	-	-	-	•	-	-	-	-
-	-	-	-	•	-	-	-	-
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•
-	-	-	-	•	-	-	-	-
-	-	-	-	•	-	-	-	-
•	•	•	•	•	•	•	•	•










<p>SPECIAL KEYING ARRANGEMENTS</p>	<p>STANDARD C2000</p>
	
<p>GRAND (GMK) AND GREAT GRAND (GGMK) MASTER KEY SYSTEMS - Key code numbering, as standard.</p> <p>A) KEY-CHANGES AT OUR CHOICE (GMK), (GGMK)</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders..... - Rim locks with double cylinder, double cylinders, rim cylinder sets <p>B) CODED (coded GMKS, GGMKS)</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob..... - Rim locks with double cylinder, double cylinders, rim cylinder sets <p>C) AS PER SAMPLE (coded GMK, GGMK) - (C2000 available with 0,65 increment key only, for master key systems)</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders - Rim locks with double cylinder, double cylinders, rim cylinder sets <p>D) MASTER KEY (GMK)</p>	<p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p>
<p>1-2 SYSTEM PLUS CONSTRUCTION KEY (available with AP3 ALI and RS3 ALI only)</p> <p><i>Standard supply 1+3+1: one ALI construction key (white-black wings), three ALI keys LEVEL 1 (red wings) with specific Security Card, one ALI key LEVEL 2 with specific Security Card (red-white wings). Different number of keys can be supplied upon request.</i></p> <ul style="list-style-type: none"> - Single cylinders, cylinder with knob - Double cylinders 	<div style="border: 1px solid red; padding: 2px; display: inline-block;">3C</div>
<p>1-2-3 SYSTEM (Available with AP3 ALI and RS3 ALI only)</p> <p><i>Standard supply 3+1+1: three ALI keys LEVEL 1 (red wings), 1 ALI key LEVEL 2 (white-red wings), ALI key LEVEL 3 (white wings). Each level is supplied with its specific Security Card. Different number of keys can be supplied upon request.</i></p> <ul style="list-style-type: none"> - Single cylinders, cylinders with knob - double cylinders 	<div style="border: 1px solid red; padding: 2px; display: inline-block;">3L</div>


SP		TSP		Asix	Astral -Astral S		AP3 S	RS3 S
								
Short key	Long key	Short key	Long key	Short key	Short key	Long key		
• •	• •	• •	• •	- -	• •	• •	• •	• •
• •	• •	• •	• •	- -	• •	• •	• •	• •
- -	- -	- -	- -	- -	- -	- -	- -	- -
•	•	•	•	-	•	•	•	•
- -	- -	- -	- -	- -	- -	- -	• •	- -
- -	- -	- -	- -	- -	- -	- -	• •	- -


<p>SPECIAL KEYING ARRANGEMENTS</p>	<p>STANDARD C2000</p> 
<p>CENTRAL LOCKING SYSTEMS - (DADA system for RS3 ALI and AP3 ALI) Key code numbering, as standard CE</p> <p>A) KEY-CHANGES AT OUR CHOICE</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob, cross key cylinders - Rim locks with double cylinder, double cylinders, rim cylinder set <p>B) CODED</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob..... - Rim locks with double cylinder, double cylinders, rim cylinder set <p>C) AS PER SAMPLE (For C2000 it is available only for keys with 0,65 mm increment used for master key systems)</p> <ul style="list-style-type: none"> - Padlocks, rim locks with single cylinder, single cylinders, single rim cylinders, cylinders with knob..... - Rim locks with double cylinder, double cylinders, rim cylinder set <p>NOTE FOR DADA SYTEM</p> <ul style="list-style-type: none"> - ALI Master Key is supplied with red wings - ALI Service Key is supplied with black wing 	<p style="text-align: center;">•</p> <p style="text-align: center;">•</p> <p style="text-align: center;">•</p> <p style="text-align: center;">•</p> <p style="text-align: center;">•</p>
<p>CONSTRUCTION KEY SYSTEMS: CA</p> <ul style="list-style-type: none"> • Master key systems, per MK, GMK, GGMK. (surcharge must be added to the cylinder and special arrangements price as appropriate). <i>The construction master key opens all the cylinder until the individual or master one is used.</i> <ul style="list-style-type: none"> - Single cylinder, cylinder with knob - Double cylinder - Master construction key..... <p>If Master Keys are not required, CISA recommends the "Single Cylinder"</p> <ul style="list-style-type: none"> • Single Cylinder (Surcharge must be added to the cylinder price as appropriate). <i>Each cylinder has construction key (marked) and 3 ownnr's key.</i> <i>The construction key opens the cylinder until the owner's one is used.</i> <ul style="list-style-type: none"> - Single cylinder, cylinder with knob, (construction key included) - Double cylinder (construction key included) 	<p style="text-align: center;">•</p> <p style="text-align: center;">•</p> <p style="text-align: center;">•</p> <p style="text-align: center;">-</p> <p style="text-align: center;">-</p>
<p>DADA SYSTEM PLUS CONSTRUCTION KEY (available with AP3 ALI and RS3 ALI only) for multifunction locks with 2 cylinders DA</p> <p><i>Standard supply: one ALI construction key (white-black wings) for both cylinders, three ALI Master keys (red wings) with Security Card, three ALI Service keys (black wings)</i></p> <p><i>Different number of keys can be supplied upon request:</i></p> <ul style="list-style-type: none"> - Single cylinders, cylinders with knob - double cylinders..... 	


SP		TSP		Asix	Astral -Astral S		AP3 S	RS3 S
 Short key	 Long key	 Short key	 Long key	 Short key	 Short key	 Long key	 ALI	
• •	• •	• •	• •	• •	• •	• •	• •	• •
• •	• •	• •	• •	• •	• •	• •	• •	• •
- -	- -	- -	- -	• •	- -	- -	- -	- -
• • •	• • •	• • •	• • •	- - -	• • •	• • •	• • •	• • •
• •	• •	• •	• •	- -	• •	• •	• •	• •
- -	- -	- -	- -	- -	- -	- -	• •	- -


<p>KEYS OPTIONS</p>	<p>STANDARD C2000</p> 																
<p>BITTED KEYS IN ADDITION TO STANDARD SUPPLY.</p> <p>A) 3 keys supply C3 (standard supply 2 keys) 5 keys supply C5 (standard supply 2 keys / 3 keys) different key supply CH (specify the total number of keys)</p> <p>CYLINDERS ordered with 3 KEYS (standard supply: 3 keys) - Price for 2 additional keys</p>	<p>•</p> <p>-</p>																
<p>CYLINDERS SUPPLIED WITH 3 LONG KEYS CL</p>	<p>-</p>																
<p>KEY DUPLICATION.</p> <p>A) ORDERED BY CODE/ORDERED PER SAMPLE</p> <p>- TSP KEYS ORDERED SEPARATELY WITH SECURITY CARD (TSP short key code 1.00500.01.1.00.QK.KC) - (TSP long key code 1.00500.90.1.00.QK.KC)</p> <p>- RS3S KEYS ORDERED SEPARATELY WITH SECURITY CARD (RS3S code 1.00800.00.0.00.00.CL.KC)</p> <p>- AP3 KEYS ORDERED SEPARATELY WITH SECURITY CARD (AP3 code 1.00770.00.0.00.00.KC) - (AP3 ALI code 1.00770.00.0.00.00.CL.KC)</p> <ul style="list-style-type: none"> • TSP, AP3 and RS3S key copies must be ordered separately. • Shipment by express courier. • Additional equipment costs et customer charge. 	<p>•</p> <p>-</p> <p>-</p> <p>-</p>																
<ul style="list-style-type: none"> • CYLINDERS WITH PERSONALIZED KEYWAY (specify on order form) PP - Cylinders - Key - Standard, Astral, Astral-S, SP, (min 300 pcs first order, 100 pcs second order) 	<p>•</p> <p>•</p>																
<ul style="list-style-type: none"> • PERSONALIZED KEYBOW (ONE SIDE ONLY) . CS <p>Minimum quantity:</p> <table border="0"> <tr> <td>- STANDARD, ASIX keys</td> <td>pz. 3.000</td> <td>- STANDARD, ASIX cylinder</td> <td>pz. 1.000</td> </tr> <tr> <td>- SP, TSP keys</td> <td>pz. 500</td> <td>- SP, TSP cylinder</td> <td>pz. 300</td> </tr> <tr> <td>- ASTRAL keys</td> <td>pz. 2.000</td> <td>- ASTRAL cylinder</td> <td>pz. 500</td> </tr> <tr> <td>- AP3 keys</td> <td>See Solution Partner program</td> <td>- AP3, RS3S cylinder</td> <td>pz. 300</td> </tr> </table>	- STANDARD, ASIX keys	pz. 3.000	- STANDARD, ASIX cylinder	pz. 1.000	- SP, TSP keys	pz. 500	- SP, TSP cylinder	pz. 300	- ASTRAL keys	pz. 2.000	- ASTRAL cylinder	pz. 500	- AP3 keys	See Solution Partner program	- AP3, RS3S cylinder	pz. 300	
- STANDARD, ASIX keys	pz. 3.000	- STANDARD, ASIX cylinder	pz. 1.000														
- SP, TSP keys	pz. 500	- SP, TSP cylinder	pz. 300														
- ASTRAL keys	pz. 2.000	- ASTRAL cylinder	pz. 500														
- AP3 keys	See Solution Partner program	- AP3, RS3S cylinder	pz. 300														

SP		TSP		Asix	Astral -Astral S		AP3 S	RS3 S
 Short key	 Long key	 Short key	 Long key		 Short key	 Long key	 ALI	
•	•	•	•	•	•	•	•	•
-	-	-	-	•	-	-	•	•
-	•	-	•	-	-	•	-	-
•	•	-	-	•	•	•	-	-
-	-	•	•	-	-	-	-	-
-	-	-	-	-	-	-	-	•
-	-	-	-	-	-	-	•	-
				-				-
				-				-

SPECIAL KEYING ARRANGEMENTS			
		DOUBLE-BIT KEY MORTICE LOCKS	
		SINGLE LOCKS	TWIN LOCKS
KEYED ALIKE SYSTEMS			
A) KEY-CHANGES AT OUR CHOICE WITH DIFFERENT NUMBER OF KEYS THAN THE STANDARD	KA	•	•
- Less than standard number.....	KB	•	•
- More than standard number.....		•	•
B) CODED	KC	•	•
C) AS FOR SAMPLE	KS	•	•

ADDITIONAL BITTED KEYS			
		Key art.	
BITTED KEYS IN ADDITION TO STANDARD SUPPLY - specify the total number of keys	CH		
		00100	•
		00101	•
		00102	•
		00104	•
		00110	•
		00112	•
		00120	•
		00121	•
		00122	•
		00123	•
		00125	•
For REKEYABLE LOCKS		00162	•
For REKEYABLE LOCKS		00163	•
For DOUBLE BIT CYLINDERS		00162	•
For DOUBLE BIT CYLINDERS		00163	•
For DOUBLE BIT CYLINDERS for REKEYABLE locks		00162	•
For DOUBLE BIT CYLINDERS for REKEYABLE locks		00163	•

							
		DOUBLE-BIT KEY RIM LOCKS and 6-LEVER ARMoured DOOR LOCKS				DOUBLE BIT CYLINDER for 6-LEVER DOUBLE-BIT KEY LOCKS	DOUBLE BIT CYLINDER for 6-LEVER DOUBLE-BIT KEY LOCKS, REKEYABLE
		LOCKS with KEY 00120-00123	LOCKS with KEY 00125				
		•	•			•	•
		• •	• •			• •	• •
		•	•			•	•
		•	•			•	•

KEY DUPLICATION ITEM 00162, 00163 <i>(*) Keys duplicated by CISA only</i>				
	For REKEYABLE locks	For DOUBLE BIT CYLINDERS on 6-LEVER ARMoured DOOR LOCKS (*)		For DOUBLE BIT CYLINDERS on REKEYABLE LOCKS (*)
		KEYING ON SHAFT	KEYING ON SHAFT AND KEY BITS	KEYING ON SHAFT AND KEY BITS
A) Ordered separately by code	•	•	-	-
B) Ordered as per sample.....	•	-	•	•

NUMBERING	CN NUMBERING DEFINED BY CISA (with reference to the key biting)	NPN NUMBERING DEFINED BY CUSTOMER
<ul style="list-style-type: none"> • PADLOCK • CYLINDER • 1 KEY 	<ul style="list-style-type: none"> • • • 	<ul style="list-style-type: none"> • • •

PRODUCTS WITH ARRANGEMENTS DIFFERENT THAN THE STANDARD ONE	
<p>NEW EUROPA PUSH-PAD SBLOCK AND CISA PRESTIGE SERIES PANIC EXIT DEVICES 59000, 59010, 59050, 59060, 59301, 59311, 59800, 59810</p> <ul style="list-style-type: none"> - Version with steel latches, for fire doors (Spec FR) - Additional locking points art. 1.07063.20/30/35/50/60/65.0 with steel latch bolt for fire resistant doors (Spec FR) - Version with hold open device (Spec FG) - Version with microswitch (Spec IA) <p>FLOOR HINGES</p> <ul style="list-style-type: none"> - Customer's brand on the plate (min. 100 pcs.) cost contribution - Floor hinges without housing - Cam shaft with special pivot head <p>SAFES</p> <ul style="list-style-type: none"> - Electronic safes with master code function (spec. TF) <p>HOTEL SAFES</p> <ul style="list-style-type: none"> - Opening delay on Master Code - Internal power socket - 6 Digit Code - Left handed doors 	<ul style="list-style-type: none"> • • • • • • • • • • • • • • • •

LOCKS SUPPLIED WITH CYLINDERS OTHER THAN THE STANDARD ONE		
RIM LOCKS WITH CYLINDER OR RIM CYLINDER SET IN FOLLOWING VERSIONS:		
STANDARD drill resistant - For electric locks series 1A610, 1A611, 11540, 11610, 11611 - For locks series 50110, 50115, 50130, 50180, 54315, 54340, 54570, 50111, 50131, 50181, 50411, 50481, 50511, 50581, 54316, 54341	CT	
Astral Astral S - For all electric locks series 1A600, 1A700, 11000 items 11823, 11660, 11670 excluded - For all locks series 50000, item 50210, 50211, 50220, 50221 excluded - For all rim latches 54000 excluded 54580 series	AT	
AP3 - For all electric locks series 1A600, 1A700, 11000 series 11823 excluded - For all locks series 50000 series 50210, 50211, 50220, 50221 excluded - For all rim latches 54000 excluded 54580 series	AP	
SP - For all electric locks series 1A600, 1A700, 11000 excluded 1A630, 11551, 11560, 11630, 11635, 11731, 11736, 11931, 11936 series. - For all locks series 50000 - For all rim latches 54000 excluded 54580 series	SP	
TSP - For all electric locks series 1A600, 1A700, 11000 excluded 1A630, 11551, 11560, 11630, 11635, 11731, 11736, 11931, 11936 series. - For all locks series 50000 - For all rim latches 54000 excluded 54580 series	TP	
Asix - For all electric locks series 1A610, 1A611, 1A630, 1A631, 1A721, 1A731, 11540, 11610, 11611 - For all locks series 50110, 50115, 50130, 50180, 54315, 54340, 54570, 50111, 50131, 50181, 50411, 50481, 50511, 50581, 54316, 54341	AX	
RS3 S - For all electric locks series 1A600, 1A700, 11000 item 11A630, 11551, 11560, 11630, 11635, 11660, 11670, 11731, 11823, 11736, 11931, 11936 excluded. - For all locks series 50000 excluded 50121, 50141, 50171, 50211, 50221, 50421, 50461, 50471, 50521, 50561, 50571 series. - For all rim latches 54000 excluded 54580 series	AS	
LOCKS WITH FIXED EXTERNAL CYLINDER ART. 02552 LONGER THAN STANDARD SIZE N.B.: Specify cylinder size by indicating length	TF	
ELECTRIC LOCKS AND ELECTRIC STRIKERS SUPPLIED WITH 24 V AC COILS (excluded 13010, 14010, 14011, 14012, 14013, 14017, 14018 series)	BB	

CYLINDERS AND PADLOCKS SUPPLIED IN SEMI-ASSEMBLED OR UNASSEMBLED VERSIONS

Cylinders and padlocks are available in **SEMI-ASSEMBLED** or **UNASSEMBLED** versions :

- "SEMI - ASSEMBLED"(ready for keying)
- "UNASSEMBLED" (completely unassembled)

In both cases, keys, pins, drivers, springs, pin hole plugs, circlips, are to be ordered separately.

CYLINDERS (For AP3 cylinders see Solution Partner Program)	SEMI-ASSEMBLED 90				UNASSEMBLED 91				
	STANDARD	C2000	SP	TSP	STANDARD	C2000	SP	TSP	ASTRAL
<ul style="list-style-type: none"> • Euro profile double cylinders • Euro profile single cylinders..... • Euro profile thumb turn cylinders • Rim cylinders, cam locks, furniture cylinders • Rim cylinder set • Hardened steel padlock cylinders..... 	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•
	-	-	-	-	•	•	•	•	•
	-	-	-	-	•	•	•	•	•
	-	-	-	-	-	-	•	•	•
BRASS PADLOCKS	SEMI-ASSEMBLED 90								
	STANDARD		LIM						
<ul style="list-style-type: none"> • 22010-30/40 • 22010-50/60 • 22010-70 • 26510-70/77/94 		•							
		•				•			
		•				-			
		-				•			
HARDENED STEEL PADLOCKS in "UNASSEMBLED" version 91									
- Hardened steel padlocks in UNASSEMBLED version are supplied without cylinder and without the cylinder and padlock drill resistant plate When ordering the padlock cylinder you must specify separately the relevant padlock drill resistant plate (the cylinder drill resistant plate is supplied as standard).									
HARDENED STEEL PADLOCKS									
<ul style="list-style-type: none"> • 28050-55/56/57, 28350-62..... • 28050-70/71/72, 28350-73, 28550-66/67/75/84/85 								•	
								•	