

Key blanks

















KEYS COMPATIBILITY	42
Key blanks - 1:1 scale	43








Double-bit key blanks	49
-----------------------------	----











KEY BLANKS	CYLINDERS AND PADLOCKS
00770-00	0H112 - 0H149 - 0H155 - 0H210 - 0H310 - 0H311 - 0H312 - 0H314 - 0H317 - 0H350 - 0H351 - 0H352 - 0H357 - 0H410 - 0H510 - 0H610
00210-00/11	02400
00401-00	26020-50/60 - 26510-70/77/94 serie 28050 - 28350 - 28550 - 2650-01
00450-01/90	02163 - 02164 - 02172 - 02176 - 02179 - 02182 - 02502 - 02572 - 02652 - 08815 - 08835 08855 - 08857 - 08875 - 08887 - 72275 - 72276 - 28052 - 28352 - 28552
00500-01/90	02152 - 02162 - 02166 - 02169 - 02173 - 02174 - 02501 - 02562 - 02651 - 08810 - 08830 - 08850 - 08851 - 08870 - 08881 - 72270 72271 - 28051 - 28351 - 28551
00620-01/90	0A112 - 0A114 - 0A116 - 0A120 - 0A149 - 0A155 - 0A210 - 0A310 - 0A311 - 0A312 - 0A314 - 0A317 - 0A351 - 0A352 - 0A357 - 0A410 - 0A415 - 0A510 - 0A610 - 22610/50 - 28053 - 28353 - 28553
00800-00	0L112 - 0L149 - 0L155 - 0L210 - 0L351 - 0L352 - 0L357 - 0L314 - 0L510 - 0L210 - 0L114 - 0L156 - 0L150 - 0L116 - 0L120 - 0L410 - 0L610 0L415 - 28059 - 28359 - 28559
01210-00	02125 - 02510 - 02520 - 22010-70 - 22013-70
01220-00	02131 - 02132 - 08311-07/08/13/14
01310-00/10/20/30/40	02102 - 02104 - 02106 - 02110 - 02139 - 02142 - 02145 - 02146 - 02500 - 02513 - 02550 - 02552 - 02592 - 02649 08310-07/08/10/12÷15/17÷30/35÷37/46/70 - 08314 - 07/26 - 08320-03÷07/09÷13/19/21/22/25/26/27/29 08328-03÷07/09÷13/19/21/22/25÷27 - 08383 - 08353-03÷07/09÷13/14/17/18/19/21/22/25÷27/29/31÷42 08710-07/08/10/12÷15/17÷30/35÷37/46 - 08714-07/11/25-08728-03÷07/09÷13/19/21/22/25÷27/29 - 08730 08753-03÷07/09÷13/17/19/21/22/25÷27/29/31÷42 - 22010-50/60 - 22011-50/52 - 22012-50 - 22013-50/60 - 72250 - 72251 72255 - 72256
01070-10	06300-07-08-10-12÷15-17÷70 - 06301-07-12-13-26 - 06304-02÷13-20-21 - 06302 - 06303 - 06305 - 06307 06115 - 06150 - 06200 - 06500 - 06501
01320-00/10/20/30/40	02544-15 - 08310-04÷06/09/11/16 - 08314-05/06/11 - 08320-/02/24/28 - 08328-02/24/28 - 08353-02/24/28 08710-04÷06/09/11/16 - 08714-05/06 - 08728-02/24/28 - 08753-02/24/28 - 44010 - 44011
01070-05	06300-04÷06-09/11/16 - 06301-05-06-09-11 - 06304-18
01330-00	02544-10/14 - 08310-02/03 - 08320-23 - 08328-23 - 08510-02/03 - 08353-23
01070-01	02126 - 02156 06300-02/03
01410-00	08210-02/05/06/12÷14/18 - 08220-02 - 08230-02/06 - 22010-40 - 22011-40/41 - 22012-40 - 22013-40 - 22070-40 - 26020-40 - 26021-40
01420-00	02040 - 02042 - 72010 - 72210 - 72215
01425-00	08210-01
01430-00	22010-30 - 22011-30/31 - 22012-30 - 22013-30 - 22070-30 - 26020-30
01440-00	22010-20/25 - 22011-20 - 22013-20/25 23010
01510-00	22010-115
01710-00	72350
00670-01	0E300 - 0E304 - 0E302 - 0E303 - 0E305 - 0E115 - 0E150 - 0E200 - 0E500 - 0E600


Type	Description	L	Pins	Unit weight 	Pieces 	ITEM			
						Type	Dim.	Hand	Per. Spec.
	- Nickel-plated brass - Paracentral keyway	3		0,004	50	1 01040 01 1			
	- Nickel-plated brass - Paracentral keyway	4		0,004	50	1 01040 02 1			
	- Nickel-plated brass - Paracentral keyway	4		0,010	50	1 01040 03 1			
	- Nickel-plated brass - Paracentral keyway	5		0,010	50	1 01040 04 1			
	- Nickel-plated brass - Paracentral keyway	5		0,010	50	1 01040 05 1			
	Nickel-plated brass	5		0,012	50	1 01060 10 0			
	- Nickel-plated steel - Cross key section	75,0	6	0,018	25	1 00210 00 0			
		90,0	6	0,023	25	1 00211 00 0			
	- Nickel-plated brass - Paracentral keyway	6		0,015	25	1 01210 00 2			

Type	Description	L	Pins	Unit weight 	Pieces 	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.
	- Nickel-plated brass - Paracentral keyway 	5		0,014	25	1	01220	00	2	
C2000 	- Nickel-plated brass - Paracentral keyway 	5		0,012	50	1	01070	10	1	
		5		0,013	50	1	01070	10	2	
C2000 	- Nickel-plated brass - Paracentral keyway 	4		0,012	50	1	01070	05	1	
		4		0,011	50	1	01070	05	2	
C2000 	- Nickel-plated brass - Paracentral keyway 	3		0,011	50	1	01070	01	1	
		3		0,011	50	1	01070	01	2	
	- Nickel-plated brass - Paracentral keyway 	5		0,010	50	1	01310	00	1	
		5		0,010	50	1	01310	00	2	
	- Nickel-plated brass - Paracentral keyway 	4		0,010	50	1	01320	00	1	
		4		0,010	50	1	01320	00	2	

Type	Description	L	Pins	Unit weight 	Pieces 	ITEM			
						Type	Dim. Hand	Fin.	Pers. Spec.
	- Nickel-plated brass - Paracentral keyway 	5		0,014	50	1 01310 10 1			
		5		0,015	50	1 01310 10 2			
	- Nickel-plated brass - Paracentral keyway 	4		0,014	50	1 01320 10 1			
		4		0,013	50	1 01320 10 2			
	- Blank key for master key duplication (MK) - Nickel-plated brass - Paracentral keyway 	5		0,014	50	1 01310 20 1			
		5		0,010	50	1 01310 20 2			
	- Blank key for master key duplication (MK) - Nickel-plated brass - Paracentral keyway 	4		0,011	50	1 01320 20 1			
		4		0,010	50	1 01320 20 2			
	- Blank key for grand master key duplication (GMK) - Nickel-plated brass - Paracentral keyway 	5		0,014	50	1 01310 30 1			
		5		0,010	50	1 01310 30 2			
	- Blank key for grand master key duplication (GMK) - Nickel-plated brass - Paracentral keyway 	4		0,011	50	1 01320 30 1			
		4		0,010	50	1 01320 30 2			
	- Blank key for great grand master key duplication (GGMK) - Nickel-plated brass - Paracentral keyway 	5		0,014	50	1 01310 40 1			


Type	Description	L	Pins	Unit weight 	Pieces 	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.
	- Blank key for great grand master key duplication (GGMK) - Nickel-plated brass - Paracentral keyway 	4		0,010	50	1	01320 40	1		
		4		0,010	50	1	01320 40	2		
	- Nickel-plated brass - Paracentral keyway 	3		0,011	50	1	01330 00	1		
		3		0,010	50	1	01330 00	2		
	- Nickel-plated brass - Paracentral keyway 	5		0,007	50	1	01410 00	1		
		5		0,007	50	1	01410 00	2		
	- Nickel-plated brass - Paracentral keyway 	4		0,008	50	1	01420 00	1		
		4		0,008	50	1	01420 00	2		
	- Nickel-plated brass - Paracentral keyway 	3		0,007	50	1	01425 00	1		
		3		0,008	50	1	01425 00	2		
	- Nickel-plated brass - Paracentral keyway 	4		0,005	50	1	01430 00	1		
		4		0,005	50	1	01430 00	2		
	- Nickel-plated brass - Paracentral keyway 	4		0,005	50	1	01440 00	1		
		4		0,004	50	1	01440 00	2		
	- Nickel-plated brass - Paracentral keyway 	3		0,003	50	1	01510 00	1		
		3		0,002	50	1	01510 00	2		

Type	Description	L	Pins	Unit weight 	Pieces 	ITEM			
						Type	Dim. Hand	Fin.	Pers. Spec.




- Nickel-plated brass
- Multiprofile
- Paracentral keyway

5	0,010	50	1 01336 00 1
5	0,010	50	1 01336 00 2




- Nickel-plated brass
- Multiprofile
- Paracentral keyway

4	0,009	50	1 01337 00 1
4	0,009	50	1 01337 00 2



- Nickel-plated brass
- Wafer key


5	0,007	50	1 01710 00 1
5	0,006	50	1 01710 00 2



- Nickel-plated brass
- Paracentral keyway

5	0,015	50	1 00401 00 1
5	0,015	50	1 00401 00 2


Asix



- Nickel-plated brass
- Thickness 2.9 mm.
- Flat profile

6	0,017	50	1 00670 01 0
---	-------	----	--------------

Astral




- Nickel-plated brass
- Thickness 2.2 mm.
- Flat profile

10	0,015	50	1 00600 01 0
----	-------	----	--------------

Type	Description	L	Pins	 Unit weight	 Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.

Astral




- Nickel-plated brass
- Thickness 2.9 mm.
- Flat profile



10 0,017 50 1 00620 01 0

Astral




- Nickel-plated brass
- Nylon bow
- Long key
- Thickness 2.9 mm.
- Flat profile



10 0,015 20 1 00620 90 0


AP3










- SEE CISA SOLUTION PARTNER PROGRAM





AP3



Type	Description	For locks series	L	Levers	Unit weight 	Pieces 	ITEM			
							Type	Dim.	Hand	Pers. Spec.
 	Nickel-plated brass	17300, 57000, 57200, 57300, 57400, 57800	35,5	6	0,018	25	1 00100 00 1			
			60,0	6	0,022	25	1 00102 00 1			
  	- Nickel-plated brass - Nylon bow	57000, 57200, 57800	35,5	6	0,020	25	1 00101 00 1			
			35,5	6	0,020	25	1 00101 00 2			
			46,0		0,022	25	1 00104 00 1			
 	- Nickel-plated brass - Nylon bow	57050, 57055, 57060	42,0	6	0,028	10	1 00110 00 1			
  	Nickel-plated brass	17500, 57100, 57500	62,0	6	0,029	25	1 00120 00 1			
			62,0	6	0,029	25	1 00120 00 2			
			37,0	6	0,025	25	1 00121 00 1			
 	- Nickel-plated brass - Nylon bow	17500, 56700, 57500, 57700	37,0	6	0,029	10	1 00122 00 1			
			58,0	6	0,033	25	1 00123 00 1			
			47,0	6	0,030	10	1 00124 00 1			
  	Nickel-plated brass	57100, 57500	60,0	6	0,040	10	1 00125 00 1			
			60,0	6	0,040	10	1 00125 00 2			
 	- Nickel-plated brass - Nylon bow	17600, 57600, 57900	44,0	6	0,032	10	1 00162 00 1			
			64,0	6	0,036	10	1 00163 00 1			

Type	Description	For locks series	L	 Levers	 Unit weight	 Pieces	ITEM				
							Type	Dim.	Hand	Fin.	Pers. Spec.



- Nickel-plated brass
- Nylon snap grip

17600, 57600, 57900

44,0	6	0,042	10
64,0	6	0,042	10

1	00170	00	1
1	00171	00	1